

INFLAMMATION & IMMUNOLOGY

Primary Immune Cell Assays

Specialize in primary immune cells with a full panel of assay format (*in vitro* and *ex vivo*) on cells from different species, providing multiple optional readouts.

Primary Immune Cells

- Objects: Whole blood, PBMC, T cells (pan-T, CD4+, CD8+, Treg, etc), B cell, Macrophage, NK cell, PMN, DC, Tissue resident lymphocytes (spleen, LN, bone marrow, tumor), etc.
- Species: human, monkey, dog, rat, mouse

Readouts and Research Tools

- Cell surface / intracellular / intranuclear markers, phospho-protein, transcriptional factors, cytokine, chemokines (FACS/ ELISA/Luminex/ELISPOT), etc
- BD Attune NxT, BD FACSARIA II, AID ELISpot Reader, Luminex 200, VICTOR Nivo, SpectraMax i3x, etc





Assay Formats

- Mixed Lymphocyte Reaction (MLR)
- Engineered tumor cell / T cell co-culture
- T cell activation and proliferation
- CMV antigen recall
- Target specific reporter gene assay
- Th1/Th2/Th17/Treg differentiation and function
- T cell killing assay (Bs-Ab)
- BTK inhibitor assay
- B cell activation and signaling assay
- NK cell activation/cytotoxicity assay
- Macrophage polarization (M1, M2) and phagocytosis assay
- Macrophage (M2) and T cell co-culture assay
- DC differentiation /activation assay
- Basophil activation assay
- MDSC suppressive assay
- JAK-STAT signaling related assay (full panel)
- T cell regulation following A2AR pathway
- Multi-cytokine release assay(whole blood level)
- Tumor Infiltrating Lymphocytes analysis and functional assay
- Primary cell biomarker validation
- Receptor occupancy test
- ELISpot assay


Primary Immune Cell Assays

Mixed Lymphocyte Reaction (MLR)




Treg Induction Assay on Naïve T Cells

Mouse Treg differentiation




Tumor Infiltrating Lymphocyte (TIL) Phenotype/Functional Analyses




TIL baselines were profiled in top 10 popular mice syngeneic models: CT26.WT, MC-38, 4T1, B16-F10, EL4, EMT-6, Hepal-6, A20, LLC1, Renca.

TILs in Human Lung Cancer Samples


Cell Type	Marker
Treg	CD45+CD3+CD4+CD8 CD23+CD127-
G-MDSC	CD45+CD11b+CD33+CD14+CD15+
M-MDSC	CD45+CD11b+CD33+CD14+CD15-
TAMs	CD45+CD11b+CD3 CD33 CD163+
Check Point	CD45+CD3+CD4+(CD8+)PD1+



RO for Memory CD4+ T Cells Ex-vivo



RO for Memory CD4+ T Cells In-vivo



Receptor Occupancy (RO): Pharmacodynamic (PD) marker of target engagement

In Vivo Pharmacology

Respiratory Disease

- Ovalbumin-induced asthma in mice and rats
- Rapid OVA-induced pulmonary eosinophil influx model in rats
- Bleomycin-induced pulmonary fibrosis in mice
- LPS-induced pulmonary neutrophilia in mice and rats
- IL-13 induced mouse respiratory inflammation in mice

Arthritis

- Collagen induced arthritis in mice/rats
- Adjuvant induced arthritis in rats

Multiple Sclerosis (MS)

- MBP-induced EAE in rats
- MOG-induced EAE in mice
- PLP-induced EAE in mice


Inflammatory Bowel Disease (IBD)

- DSS-induced IBD in mice/rats
- TNBS/DNBS-induced colitis in mice/rats


Skin Disease

- Psoriasis model: IMQ and IL-23 induced in mice
- Bleomycin Induced sclerosis in mice


- LPS-induced cytokine release (mice, rats, monkey)
- LPS-induced lung neutrophilia in mice/ rats
- Rapid OVA-induced pulmonary eosinophil influx model in rats
- Air pouch
- Delayed type hypersensitivity (DTH) (DNFB, Oxa., PMA)
- Passive cutaneous anaphylaxis (PCA)
- IL-13 induced respiratory inflammation (mouse)
- CLP (cecal ligation & puncture) in mice
- Hair growth in mice
- Vascular permeability model
- (Miles assay, EIU, blister, wheal)
- Others: systemic inflammation (Con A, IL1 β), granuloma



IMQ-induced Psoriasis



Control



Model



Control




Model



Tofa

In Vivo Pharmacology

Rat Adjuvant-induced Arthritis Model (AIA)



DNFB-induced DTH Model

